



PLACE 3" OF SOIL FILL BETWEEN OVERLAPPING REINFORCEMENT FOR PROPER ANCHORAGE

GEOSYNTHETIC PLACEMENT  
 CONVEX CURVE  
 SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTEMPLATED, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.



**VERSA-LOK®**  
 Retaining Wall Systems  
 Solid Solutions™  
 (800)770-4525 fax(651)770-4089  
 6348 Hwy36 Ste1, Oakdale, MN 55128

VERSA-LOK STANDARD DETAILS

GEOSYNTHETIC PLACEMENT  
 CONVEX CURVE

SCALE:	3/8"=1'
DRAWN BY:	PPS
CHECKED BY:	
DATE:	10/2007
DWG. NO.	stnd grid convex curve